Nuclear Instruments and Methods in Physics Research A 341 (1994) xix–xxviii
North-Holland

NUCLEAR
INSTRUMENTS
& METHODS
IN PHYSICS
RESEARCH
Section A

Contents

Preface vii
Welcome address by Dr. P.A.J. Tindemans viii
Welcome address by Ir. N.A.M. Hootsmans ix
1993 Free Electron Laser Prize x
Committees xi
Conference Sponsors xii
Number of Participants xii
Photos xiii

Part I. Full length papers

Section I. Free electron laser prize lecture

FEL prize lecture: The FEL community and its technology as seen through the eyes of a microwave tube engineer
R.M. Phillips 3

Section II. Experimental results

Demonstration of ultraviolet lasing with a low energy electron beam
P.G. O'Shea, S.C. Bender, D.A. Byrd, J.W. Early, D.W. Feldman, C.M. Fortgang, J.C. Goldstein, B.E. Newnam, R.L. Sheffield, R.W. Warren and T.J. Zaugg 7
FEL experiment on the UVSOR storage ring
H. Hama, J. Yamazaki and G. Isoyama 12
Experiments with undulator radiation of a single electron
I.V. Pinayev, V.M. Popik, T.V. Shaftan, A.S. Sokolov, N.A. Vinokurov and P.V. Vorobyov . . . 17
Observations of the Super-ACO FEL micropulse with a streak camera
T. Hara, M.E. Couprie, A. Delboulbé, P. Troussel, D. Gontier and M. Billardon 21
Temporal behaviour and longitudinal instabilities on the Super-ACO free electron laser
D. Garzella, M.E. Couprie, A. Delboulbé, T. Hara and M. Billardon 24
Initial performance of Los Alamos Advanced Free Electron Laser
D.C. Nguyen, R.H. Austin, K.C.D. Chan, C. Fortgang, W.J.D. Johnson, J. Goldstein, S.M. Gierman, J. Kinross-Wright, S.H. Kong, K.L. Meier, J.G. Plato, S.J. Russell, R.L. Sheffield, B.A. Sherwood, C.A. Timmer, R.W. Warren and M.E. Weber 29
First lasing of the Beijing FEL
J. Xie, J. Zhuang, Y. Huang, Y. Li, S. Lin, C. Mao, R. Ying, Y. Zhong, L. Zhang, G. Wu, Y. Zhang, L. Li, E. Fu and W. Liu 34
Optical performance of the UT-FEL at first lasing
E. Nishimura, K. Saeki, S. Abe, A. Kobayashi, Y. Morii, T. Keishi, T. Tomimasu, R. Hajima, T. Hara, H. Ohashi, M. Akiyama, S. Kondo, Y. Yoshida, T. Ueda, T. Kobayashi, M. Uesaka and K. Miya 39
First results in the saturation regime with the ELSA FEL
Ph. Guimbal, S. Joly, D. Iracane, J. Fréhaut, P. Balleyguier, A. Binet, J.P. Blésès, J. DiCrescenzo, V. Fontenay, P. Fourdin, G. Haouat, J.G. Marmouget, Y. Pranal, F. Sabary, S. Striby and D. Touati 43

0168-9002/94/$07.00 © 1994 – Elsevier Science B.V. All rights reserved

Bunch length measurements on CLIO
F. Glotin, J.-M. Berset, R. Chaput, D.A. Jaroszynski, J.-M. Ortéga and R. Prazérès 49
Optical mode analysis on the CLIO infrared FEL
R. Prazeres, F. Glotin and J.M. Ortega 54
Amplification of spontaneous emission with two high-brightness electron bunches of the ISIR linac
S. Okuda, J. Ohkuma, S. Suemine, S. Ishida, T. Yamamoto, T. Okada and S. Takeda 59
First observation of amplification of spontaneous emission achieved with the Darmstadt IR-FEL
J. Auerhammer, H. Genz, H.-D. Gräf, W. Grill, R. Hahn, A. Richter, V. Schlott, F. Thomas, J. Töpper, H. Weise, T. Wesp and M. Wiencken 63
A millimeter wave FEL driven by a photocathode rf linac
R. Zhang, C. Pellegrini, J. Rosenzweig, G. LeSage, F. Hartemann, D. McDermott, C. Joshi, N. Luhmann, P. Pierini, L. de Salvo and R. Bonifacio 67
A millimeter-range FEL experiment using coherent synchrotron radiation emitted from electron bunches
M. Asakawa, N. Sakamoto, N. Inoue, T. Yamamoto, K. Mima, S. Nakai, J. Chen, M. Fujita, K. Imasaki, C. Yamanaka, T. Agari, T. Asakuma, N. Ohigashi and Y. Tsunawaki 72
First operation of a 94 GHz, sheet beam, FEL amplifier
Z.X. Zhang, V.L. Granatstein, W.W. Destler, B. Levush, T.M. Antonsen, Jr., J. Rodgers and S. Cheng 76
Results from the Liverpool prototype Industrial FEL (IFEL)
G. Dearden, E.G. Quirk, A.I. Al-Shamma'a, R.A. Stuart and J. Lucas 80
Microwave free electron laser amplifier experiments on the SG-1 device
Hui Zhongxi, Zhou Chuanming, Wu Ruian, Deng Jianjun, Chen Yutao, Ding Bonan, Tang Longzhou, Zhang Jun, Meng Fanbao, Tao Zuchong, Yang Zhenhua, Tian Shihong, Dong Zhiwei and Wu Shangqing 85
Comparison between a FEL amplifier and oscillator
P. Zambon, W.J. Witteman and P.J.M. van der Slot 88
High-power CARM and harmonic gyro-amplifier experiments
J.L. Rullier, S. Alberti, B.G. Danly, E. Giguet, G. Gulotta, T. Kimura, W.L. Menninger and R.J. Temkin 93
Spectrum analysis of a circular free electron laser
T. Mizuno, T. Ohtuki, T. Ohsima and H. Saito 98
A study of waveguide mode identification in a FEL experiment
K. Sakamoto, M. Shiho, A. Watanabe, S. Musyoki, Y. Kishimoto, S. Kawasaki and H. Ishizuka . 101
Investigation of a microwave FEL with a reversed guide field
A.A. Kaminsky, A.K. Kaminsky, V.P. Sarantsev, S.N. Sedykh, A.P. Sergeev and A.A. Silivra . . 105
Microwave transport in the ion-channel guided free-electron laser
K. Takayama, J. Kishiro, T. Ozaki, K. Ebihara, S. Hiramatsu and H. Katoh 109
Observation of chirping in a traveling-wave cyclotron maser experiment
E. Jerby, G. Bekefi and A. Shahadi 115
Observations of frequency chirping and phase of a free electron laser amplifier
G. Bekefi, B. Chen, M.E. Conde, I. Mastovsky, K. Ricci, C.J. Taylor and P. Volfbeyn 119

Section III. Applications

Free-electron laser power beaming to satellites at China Lake, California
H.E. Bennett, J.D.G. Rather and E.E. Montgomery IV 124
The UV Super-ACO storage ring free electron laser for time resolved fluorescence
M.E. Couprie, F. Mérola, P. Tauc, A. Delboulbé, D. Garzella, T. Hara and M. Billardon 132
Operation of the CLIO infrared laser facility
J.M. Ortega 138

Infrared FEL photochemistry: multiple-photon dissociation of Freon gas
B.E. Newnam, J.W. Early and J.L. Lyman 142

Adsorbate vibrational spectroscopy by IR–visible sum-frequency generation using CLIO-FEL: CO from CH_3OH electrochemical decomposition on Pt
A. Peremans, A. Tadjeddine, P. Guyot-Sionnest, R. Prazeres, F. Glotin, D. Jaroszynski, J.M. Berset and J.-M. Ortega 146

Nonlinear optics with a free-electron laser
E.R. Eliel, E.W.M. van der Ham, Q.H.F. Vrehen, M. Barmentlo, G.W. 't Hooft, A.F.G. van der Meer and P.W. van Amersfoort 152

Free-electron lasers and semiconductor physics: first results on nonlinear optics, interfaces, and desorption
J.T. McKinley, R.G. Albridge, A.V. Barnes, P.A. Baudat, G.C. Chen, C. Coluzza, J.L. Davidson, C. Dupuy, F. Gozzo, M. Illegems, M.L. Languell, D. Martin, F. Morier-Genoud, P.L. Polavarapu, A. Rudra, J.F. Smith, E. Tuncel, X. Yang, A. Ueda, G. Margaritondo and N. Tolk 156

Short pulse effects in FIR optical saturation:. shallow donors in silicon
K.K. Geerinck, J.E. Dijkstra, J.N. Hovenier, T.O. Klaassen, W.Th. Wenckebach, A.F.G. van der Meer and P.W. van Amersfoort 162

Excite-probe FEL (CLIO) study of two-photon-induced carrier dynamics in narrow gap semiconductors
B.N. Murdin, R. Rangel-Rojo, C.R. Pidgeon, M.F. Kimmitt, A.K. Kar, D.A. Jaroszynski, J.-M. Ortega, R. Prazeres, F. Glotin and D.C. Hutchings 165

Probing terahertz electron dynamics in semiconductor nanostructures with the UC Santa Barbara FELs
J.P. Kaminski, S.J. Allen, M. Sherwin, B. Keay, J.S. Scott, K. Craig, J. Heyman, P. Guimaraes, K.L. Campman, P.F. Hopkins, A.C. Gossard, D. Chow, M. Lui and T.Y. Liu 169

Photoluminescence as a probe of the interaction of intense far-infrared radiation with semiconductor quantum structures
P.C. van Son, J. Cerne, M.S. Sherwin, S.J. Allen Jr., M. Sundaram, I.-H. Tan and D. Bimberg . 174

Free electron laser-induced bleaching of the intersubband absorption in semiconductor quantum wells
B.N. Murdin, M. Helm, C.R. Pidgeon, K.K. Geerinck, N. Hovenyer, W.Th. Wenckebach, A.F.G. van der Meer and P.W. van Amersfoort 178

Section IV. Theory

A study of linewidth, noise and fluctuations in a FEL operating in SASE
R. Bonifacio, L. De Salvo, P. Pierini, N. Piovella and C. Pellegrini 181

Spectral width limits in "single mode" free electron lasers
S. Riyopoulos 186

Computer simulation of mode evolution in long pulse FELs
I. Kimel and L.R. Elias 191

Up frequency conversion in a two resonant wave free electron laser
N. Piovella, V. Petrillo, C. Maroli and R. Bonifacio 196

Chaotic transitions in a short-pulse FEL oscillator
S.J. Hahn, J.K. Lee, E.H. Park and T.H. Chung 200

Closure relations in macroscopic FEL equations
G.H.C. van Werkhoven and T.J. Schep 205

Suppression of the sideband instability in tapered FELs and IFELs
A. Bhattacharjee and R.P. Pilla 209

The two frequency wiggler: efficiency enhancement and sideband inhibition
P. Chaix, D. Iracane and F. Desrayaud 215

Effect of the wiggler harmonics on the free electron laser dynamics
D. Iracane, D. Touati and P. Chaix 220
Wiggler imperfections in free-electron lasers
H.P. Freund and R.H. Jackson 225
Superradiance of ensembles of classical electron-oscillators as a method for generation of ultrashort electromagnetic pulses
N.S. Ginzburg, Yu.V. Novozhilova and A.S. Sergeev 230
Tunability of tapered free electron lasers
B. Levush, H.P. Freund and T.M. Antonsen, Jr. 234
The effects of a wiggler on cyclotron maser instability
G. Mishra 238
Chaotic electron trajectories in a helical-wiggler free electron laser
A. Bourdier and L. Michel-Lours 244
Electron trajectories in a free electron laser with a reversed axial guide field
A. Bourdier, V.A. Bazylev, Ph. Gouard, D. Gardent and J.M. Buzzi 250
Electron beam focusing by an inhomogeneous electromagnetic wave in the inverse free electron laser
V.G. Baryshevsky, I.Ya. Dubovskaya and O.N. Metelitsa 256
The nonlinear analysis of self-field effects in free-electron lasers
H.P. Freund, R.H. Jackson and D.E. Pershing 259
A solitary wave theory for spiking pulses emitted by a Raman free electron laser
L.-Y. Lin, T.C. Marshall and M.A. Cecere 265
A far-infrared grating free-electron laser
B. Hafizi, P. Sprangle and A. Fisher 269
Surface quasi-Cherenkov free-electron laser
V.G. Baryshevsky, K.G. Batrakov and I.Ya. Dubovskaya 274
Intensity of Smith–Purcell radiation in the relativistic regime
J. Walsh, K. Woods and S. Yeager 277

Section V. Performance studies

An infrared free electron laser system for the proposed chemical dynamics research laboratory at LBL based on a 500 MHz superconducting linac
K.-J. Kim, R. Byrns, S. Chattopadhyay, R. Donahue, J. Edighoffer, R. Gough, E. Hoyer, W. Leemans, J. Staples, B. Taylor and M. Xie 280
Slippage, noise and superradiant effects in the UCLA FEL experiment
R. Bonifacio, P. Pierini, C. Pellegrini, J. Rosenzweig and G. Travish 285
Numerical analysis of radiation build-up in FEL oscillator
S.-i. Kuruma, M. Naruo, K. Mima, S. Nakai and C. Yamanaka 289
Three-dimensional simulation of Littrow-grating sideband suppression in a 10 kW free-electron laser
D.C. Quimby, C.G. Parazzoli and D.J. Pistoresi 293
A powerful and efficient multibeam microwave FEL amplifier
I. Boscolo, G. Jianming, P. Radaelli and V. Variale 300
Simulations of the performance of the FEM oscillator for fusion at 130–250 GHz
A.V. Tulupov, M.J. van der Wiel, W.H. Urbanus and M. Caplan 305
Investigation of multi-frequency generation in the FEM
P.J. Eecen, A.V. Tulupov and T.J. Schep 309
A low power waveguide FEL for operation at 60 GHz nominal
R.A. Stuart, G. Kong, A. Shaw, C. Balfour, A. Al-Shamma'a and J. Lucas 313

Analysis and optimal design study of tapered FEL amplifiers on the border of Raman and Compton regimes
S. Kawasaki, M. Takahasi, H. Ishizuka, K. Sakamoto, Y. Kishimoto, S. Musyoki, A. Watanabe and M. Shiho 316
Computer simulation of micro-Cherenkov FEL oscillator
T. Taguchi and K. Mima 322

Section VI. New concepts

The SLAC soft X-ray high power FEL
C. Pellegrini, J. Rosenzweig, G. Travish, K. Bane, R. Boyce, G. Loew, P. Morton, H.-D. Nuhn, J. Paterson, P. Pianetta, T. Raubenheimer, J. Seeman, R. Tatchyn, V. Vylet, H. Winick, K. Halbach, K.-J. Kim, M. Xie, D. Prosnitz, E.T. Scharlemann, R. Bonifacio, L. De Salvo and P. Pierini 326
Generation of harmonic radiation using the multi-cavity free-electron laser
S. Krishnagopal and A.M. Sessler 331
An accelerator/wiggler for high efficiency FEL operation
J.F. Schmerge, J.W. Lewellen, J. Harris, Y.C. Huang, J. Feinstein and R.H. Pantell 335
A novel laser driven RF structure for the generation of bright electron beams
L. Serafini 341
Development of a compact high brightness X-ray source
J. Chen, K. Imasaki, M. Fujita, C. Yamanaka, M. Asakawa, S. Nakai and T. Asakuma 346
Generation of femtosecond X-rays by 90° Thomson scattering
K.-J. Kim, S. Chattopadhyay and C.V. Shank 351
Free-proton lasers based on high energy accelerators as high power, high efficiency cm to X-ray machines
E.G. Bessonov 355
Collective atomic recoil laser (CARL) optical gain without inversion by collective atomic recoil and self-bunching of two-level atoms
R. Bonifacio and L. De Salvo 360

Section VII. Accelerators

Study of undulator influence on the dynamic aperture for the Duke FEL storage ring
Y. Wu, V.N. Litvinenko and J.M.J. Madey 363
Single bunch injection of the storage ring NIJI-IV for FEL
M. Yokoyama, M. Kawai, S. Hamada, K. Owaki, T. Yamazaki, T. Mikado, K. Yamada, N. Sei, S. Sugiyama, H. Ohgaki, T. Noguchi, R. Suzuki, M. Chiwaki and T. Tomimasu 367
Performance of the high brightness linac for the advanced free-electron laser initiative at Los Alamos
R.L. Sheffield, R.H. Austin, K.C.D. Chan, S.M. Gierman, J.M. Kinross-Wright, S.H. Kong, D.C. Nguyen, S.J. Russell and C.A. Timmer 371
Linac driver for the FEL project at P.N. Lebedev Institute
A. Agafonov, G. Gevorgyan, E. Krastelev, A. Kustov, A. Lebedev, N. Martynchuk, P. Mikhalev, V. Fedotov, S. Zakharov and B. Yablokov 375
Initial measurements of the UCLA rf photoinjector
J. Rosenzweig, N. Barov, S. Hartman, M. Hogan, S. Park, C. Pellegrini, G. Travish, R. Zhang, P. Davis, G. Hairapetian and C. Joshi 379
Magnetic bunching and brightness measurements at ELSA
S. Joly, D.H. Dowell, P. Balleyguier, J.P. de Brion, Ch. Couillaud, J.L. Coacolo, J. Di Crescenzo, P. Fourdin, J. Fréhaut, G. Haouat, J.P. Laget, A. Loulergue, J. Raimbourg, F. Sabary, F. Schumann and S. Striby 386

Rf power tests for JAERI FEL superconducting accelerator modules
M. Sawamura, R. Nagai, M. Takao, E.J. Minehara, N. Kikuzawa, R. Kato, M. Sugimoto, M. Ohkubo and Y. Suzuki 391

Recirculation scheme in the second phase of the JAERI FEL project
M. Takao, M. Sugimoto, M. Sawamura, R. Nagai, R. Kato, E. Minehara, M. Ohkubo and Y. Suzuki 394

Computations of longitudinal electron dynamics in the recirculating cw RF accelerator–recuperator for the high average power FEL
A.S. Sokolov and N.A. Vinokurov 398

Developments of the TEUFEL injector racetrack microtron
J.I.M. Botman, J.L. Delhez, H.L. Hagedoorn, W.J.G.M. Kleeven, M.H.M. Knoben, C.J. Timmermans, G.A. Webers, G.J. Ernst, J.W.J. Verschuur and W.J. Witteman 402

High current racetrack microtron as a free electron laser driver
V.G. Kurakin 407

Design and construction of an induction linac for a mm wave free electron laser for fusion research
M. Shiho, S. Kawasaki, K. Sakamoto, H. Maeda, H. Ishizuka, Y. Watanabe, A. Tokuchi, Y. Yamashita and S. Nakajima 412

Proposed particle-beam characterizations for the APS undulator test line
A.H. Lumpkin, M. Borland and S. Milton 417

Measurement of actual emittance of relativistic electron beams
L. Fu, N.-q. Liu, J.-p. Dai and X. Chen 422

Section VIII. Undulators

Development of an electromagnetic helical microwiggler
N. Ohigashi, K. Mima, Y. Tsunawaki, S.-y. Ishii, N. Ikeda, K. Imasaki, M. Fujita, S.-i. Kuruma, A. Murai, C. Yamanaka and S. Nakai 426

Performance characterization of a far-infrared, staggered wiggler
Y.C. Huang, H.C. Wang, R.H. Pantell, J. Feinstein and J. Harris 431

Measurement and correction of magnetic fields in pulsed slotted-tube microwigglers
C.M. Fortgang and R.W. Warren 436

Microundulator operation resonantly enhanced by a strong magnetic guide field
G. Spindler and G. Renz 440

Fabrication of high-field short-period permanent magnet wigglers
R.W. Warren and C.M. Fortgang 444

Selected applications of planar permanent magnet multipoles in FEL insertion device design
R. Tatchyn 449

The coaxial hybrid iron (CHI) wiggler
R.H. Jackson, H.P. Freund, D.E. Pershing and J.M. Taccetti 454

Undulator scheme providing wide range magnetic field tuning
A.A. Varfolomeev, A.H. Hairetdinov, S.N. Ivanchenkov, A.S. Khlebnikov and N.S. Osmanov . 459

Advanced hybrid undulator schemes providing enhanced transverse e-beam focusing
A.A. Varfolomeev and A.H. Hairetdinov 462

Performance of the undulator for the FOM-FEM project
A.A. Varfolomeev, S.N. Ivanchenkov, A.S. Khlebnikov, N.S. Osmanov, M.J. van der Wiel, W.H. Urbanus and V.F. Pavluchenkov 466

Undulator magnetic field measurements with the wire deflection method
A.A. Varfolomeev, A.S. Khlebnikov, N.S. Osmanov and S.V. Tolmachev 470

Section IX. Optical technology

Measurement of single-pulse spectra of an infrared FEL
W.P. Leemans, J.A. Edighoffer and R.L. Swent 473

Hybrid resonators for FELs
I. Kimel and L.R. Elias 476
Performance of a MOPA laser system for photocathode research
R.F.X.A.M. Mols and G.J. Ernst 481
Design of a 30 GHz Bragg reflector for a Raman FEL
P. Zambon and P.J.M. van der Slot 484
Experimental investigation of an external feedback system for wavelength selection in a free-electron maser
V.A. Bogachenkov, V.A. Papadichev, I.V. Sinilschikova and O.A. Smith 489

Part II. Extended synopses

Present status of the NIJI-IV free-electron lasers
T. Yamazaki, K. Yamada, S. Sugiyama, H. Ohgaki, N. Sei, T. Mikado, T. Noguchi, M. Chiwaki, R. Suzuki, M. Kawai, M. Yokoyama and S. Hamada . . . . . ABS 3
Evaluation of the gain in ETL FEL oscillation with an optical klystron
K. Yoshikawa, S. Hashimoto, M. Ohnishi, Y. Yamamoto, T. Yamazaki, K. Yamada and N. Sei . . . . . ABS 5
Progress of the FELICITA I experiment at DELTA
D. Nölle, A. Geisler, M. Ridder, T. Schmidt and K. Wille . . . . . ABS 7
An undulator for FELICITA I
T. Schmidt, F. Brinker and D. Nölle . . . . . ABS 9
FELICITA II, a possible high-gain FEL at the storage ring DELTA
M. Ridder . . . . . ABS 11
Numerical investigation of the longitudinal phase space of storage ring FELs
A. Geisler . . . . . ABS 13
Design of a bypass line for an undulator for the storage ring EUTERPE
M. Venier, B. Xi, J.I.M. Botman and M. Conte . . . . . ABS 15
Industrial applications of free electron lasers
J. Lucas, R.A. Stuart and W.M. Steen . . . . . ABS 17
The Stanford Picosecond FEL Center
H.A. Schwettman, T.I. Smith and R.L. Swent . . . . . ABS 19
Medical and materials research at the Vanderbilt University Free-Electron Laser Center
C.A. Brau and M.H. Mendenhall . . . . . ABS 21
Research with FELIX
A.F.G. van der Meer, R.J. Bakker, E.H. Haselhoff, D.A. Jaroszynski, G.M.H. Knippels, D. Oepts and P.W. van Amersfoort . . . . . ABS 23
Superradiant start-up of a free electron laser oscillator
D.A. Jaroszynski, R.J. Bakker, D. Oepts, A.F.G. van der Meer and P.W. van Amersfoort ABS 24
Dynamic cavity desynchronisation in FELIX
G.M.H. Knippels, R.J. Bakker, A.F.G. van der Meer, D.A. Jaroszynski, D. Oepts, P.W. van Amersfoort and J.N. Hovenier . . . . . ABS 26
Narrow-band operation of FELIX
D. Oepts, R.J. Bakker, D.A. Jaroszynski, A.F.G. van der Meer and P.W. van Amersfoort ABS 28
Optical alignment and beam extraction at the CLIO infrared laser facility
J.M. Berset, F. Glotin, D. Jaroszynski, J.M. Ortéga and R. Prazérès . . . . . ABS 29
Design and construction of a compact infrared FEL
I.S. Lehrman, J.R. Sheehan, J. Krishnaswamy, M.F. Reusch and R. Hartley . . . . . ABS 31
A 5-MeV electron injector and FELI linac for FEL facilities
T. Tomimasu, Y. Morii, A. Koga, Y. Miyauchi, T. Keishi, E. Nishimura, K. Saeki, S. Abe, S. Sato, A. Kobayashi, I. Bessho and A. Nagai . . . . . ABS 33

Photoinjector for 6 MeV S-band RF linac at ILT/ILE Osaka University
M. Fujita, K. Imasaki, J. Chen, S. Kuruma, H. Furukawa, C. Yamanaka, M. Asakawa, N. Sakamoto, T. Yamamoto, N. Inoue, S. Nakai, K. Nagami, Y. Tsunawaki, T. Agari, T. Asakuma and N. Ohigashi . . . . . ABS 35

Progress report of the FEL injector at CIAE
W.Z. Zhou, T.L. Yang, X.L. Zhai, X.Z. Shi, Z.M. Jin, D.X. Pu, Q. Sun, Y.Z. Lu and W.K. Chen . . . . . ABS 37

Status report on the CEBAF IR FEL
G.R. Neil, S.V. Benson, J.J. Bisognano, Y. Chao, D. Douglas, H.F. Dylla, L. Harwood, C.W. Leemann, H. Liu, P. Liger, D. Machie, D.V. Neuffer, C. Rode, S.N. Simrock, C.K. Sinclair, J. VanZeijts and B. Yunn . . . . . ABS 39

Progress of the IR FEL development at JAERI
M. Sugimoto, M. Takao, M. Sawamura, R. Nagai, R. Kato, N. Kikuzawa, E.J. Minehara, M. Ohkubo, Y. Kawarasaki and Y. Suzuki . . . . . ABS 41

Status of the commissioning of the SC linac LISA for "SURF" FEL experiment
M. Castellano, M. Ferrario, M. Minestrini, P. Patteri, F. Tazzioli, F. Cevenini, F. Ciocci, G. Dattoli, A. DiPace, G.P. Gallerano, A. Renieri, E. Sabia, L. Catani and S. Tazzari . . ABS 43

Radiation complex on the basis of a racetrack microtron
K.A. Belovintsev, A.I. Bukin, E.G. Gaskevich, A.I. Karev, A.V. Koltsov, V.A. Kuznetsov, V.G. Kurakin and S.V. Sidorov . . . . . ABS 45

Two color FEL complex based on a high current racetrack microtron
E.B. Gaskevich, A.I. Karev and V.G. Kurakin . . . . . ABS 47

CLIC drive beam generation by induction linac and FEL preliminary experimental studies
R. Corsini, C.D. Johnson, J. Gardelle, J. Grenier and J.L. Rullier . . . . . ABS 49

Construction of a microwave free electron laser and studies of its characteristics
K.-C. Lee and K.-H. Chung . . . . . ABS 51

A 1 MW, 130–250 GHz free-electron maser for fusion
W.H. Urbanus, W.A. Bongers, C.A.J. van der Geer, A. van der Linden, P. Manintveld, A.B. Sterk, A.V. Tulupov, A.G.A. Verhoeven and M.J. van der Wiel . . . . . ABS 53

Development of an electrostatic accelerator for a millimeter-wave free-electron laser
S.O. Cho, B.C. Lee, S.K. Kim, Y.U. Jeong, B.H. Choi, J. Lee and K.H. Chung . . . . . ABS 55

The Israeli tandem electrostatic accelerator FEL – status report
M. Cohen, M. Draznin, A. Goldring, A. Gover, Y. Pinhasi, J. Wachtell, Y. Yakover, J. Sokolowski, B. Mandelbaum, S. Rosenberg, Y. Shiloh, G. Hazak, L.M. Levine and O. Shahal . . . . . ABS 57

A parametric free-electron laser in the submillimeter wavelength region
V.I. Alexeev, K.A. Belovintsev, E.G. Bessonov, A.V. Koltsov and A.V. Serov . . . . . ABS 59

Compact waveguide FEL for spectroscopic measurements in muonic hydrogen
F. Ciocci, F. Della Valle, A. Doria, G.P. Gallerano, L. Giannessi, E. Giovenale, P. Hauser, F. Kottmann, G. Messina, E. Milotti, C. Petitjean, L. Picardi, A. Renieri, C. Rizzo, C. Ronsivalle, L.M. Simons, D. Taqqu, A. Vacchi, A. Vignati and E. Zavattini . . . ABS 60

Application of a millimetre-wave free-electron laser to study detection processes
A. Doria, O.P. Gallerano, E. Giovenale, M.F. Kimmitt and G. Messina . . . . . ABS 62

Amplification of the optical electric and magnetic fields described by Ampere's and Faraday's laws
W.B. Colson . . . . . ABS 64

A free-electron laser model without the SVEA
E.H. Haselhoff . . . . . ABS 66

Influence of the radiation force on free-electron laser gain
A.V. Serov . . . . . ABS 68

Multi-pass transverse mode effects in free electron lasers
R.K. Wong, D. Clark and W.B. Colson . . . . . ABS 69

Resonant wavelength modulation in a free electron laser
W.R. Pinkley, W. Wilkenson, J. Blau, R.K. Wong and W.B. Colson . . . . . ABS 70

Dispersion characteristics of electromagnetically pumped FEL
T.H. Chung and J.K. Lee . . . . . ABS 71

About a FEL scheme with a synchronizing magnetic field for beam cooling and operation with hot beams
V.A. Bazylev, S.A. Mikheev and A.V. Tulupov . . . . . ABS 73

Hard X-ray production in a visible-wavelength free-electron laser
J.C. Gallardo . . . . . ABS 74

Simulations of an X-ray FEL utilizing the SLAC linac
J.B. Hall, J. Blau, R.K. Wong and W.B. Colson . . . . . ABS 76

FEL based photon collider at SLC as a prototype of future photon colliders
E.L. Saldin, V.P. Sarantsev, E.A. Schneidmiller and M.V. Yurkov . . . . . ABS 78

3D simulations of a superradiant harmonic cascade in the XUV region
P. Pierini, L. De Salvo and R. Bonifacio . . . . . ABS 79

FELs based on beam–plasma interactions
V.A. Bazylev, T.J. Schep and A.V. Tulupov . . . . . ABS 81

Radiative interaction of charges in plasma
S.T. Zavtrak . . . . . ABS 83

FEL for VUV and X-ray generation with an ion-focussed double undulator
A.V. Tulupov . . . . . ABS 85

Peculiarities of harmonic generation in a system of identical undulators
E.G. Bessonov . . . . . ABS 87

A new experimentally observable resonance in a free-electron laser with strong guide magnetic field
C. Chen . . . . . ABS 88

Preliminary consideration of a free electron laser operating at very large μ_c
V.I. Zhulin, R.J. Bakker, A.F.G. van der Meer, D. Oepts and P.W. van Amersfoort . . . ABS 90

Phase space simulations of electron bunching and power output in the Novosibirsk / SELENE FEL
D.D. Quick, J. Blau, R.K. Wong and W.B. Colson . . . . . ABS 92

Three dimensional simulations of the Novosibirsk/SELENE FEL
J. Blau, R.K. Wong, D.D. Quick and W.B. Colson . . . . . ABS 94

1-D simulation of a waveguide free-electron laser using Bragg reflectors
S.K. Kim, S.O. Cho, Y.U. Jeong, B.C. Lee and J. Lee . . . . . ABS 95

Free electron lasers with a two-dimensional Bragg resonator
N.S. Ginzburg, N.Yu. Peskov and A.S. Sergeev . . . . . ABS 97

Simulation of reversed and conventional guide field operation in a free electron laser
G. Renz and G. Spindler . . . . . ABS 99

Modified theory of Smith–Purcell radiation
N.K. Zhevago and V.I. Glebov . . . . . ABS 101

Micro-Cherenkov FEL driven by FEA
K. Mima, T. Taguchi, N. Ohigashi, Y. Tsunawaki, M. Shiho, S. Kuruma, M. Fujita, K. Imasaki, C. Yamanaka and S. Nakai . . . . . ABS 103

Nonlinear coupling of the space-charge waves and transverse magnetic waveguide modes in a high power Cherenkov maser
B.-H. Hong, S.-K. Kim, J.-S. Choi and D.-I. Choi . . . . . ABS 105

Microwiggler generated on the surface of an acoustic waveguide using high power ultrasonic waves
J.-S. Choi, C.-H. So, J.-D. Moon and D.-R. Kim . . . . . ABS 107

Cherenkov generation of Rayleigh electromagnetic wave in a gyrotropic plasma waveguide
S.T. Ivanov and E.G. Alexov . . . . . ABS 109

Inverse free electron laser accelerator development
A. Fisher, J. Gallardo, A. van Steenbergen and J. Sandweiss . . . . . ABS 111
Electron trajectories in a helical free electron laser with an axial guide field
J.T. Donohue and J.L. Rullier . . . . . ABS 112
Electron velocity instability in combined helical wiggler and axial guide fields
X. Shu . . . . . ABS 114
On the application of time-dependent undulator tapering to increase the FEL oscillator efficiency
E.L. Saldin, E.A. Schneidmiller and M.V. Yurkov . . . . . ABS 116
A helical undulator for the far infrared free electron laser
A.I. Bukin, E.B. Gaskevich, V.G. Kurakin and O.V. Savushkin . . . . . ABS 117
The tapered twin helical undulator for lasing on a selected harmonic
E.B. Gaskevich . . . . . ABS 119
Three dimensional gain analysis of FEL using a focusing undulator with alternately shifted permanent magnets
Y. Tsunawaki, N. Ohigashi, K. Mima, S.-i. Kuruma, K. Imasaki, M. Fujita, A. Murai, C. Yamanaka and S. Nakai . . . . . ABS 121
Beam transport through a two section undulator; computer simulation results
A.A. Varfolomeev and A.V. Smirnov . . . . . ABS 123
Progress with the hybrid microwiggler
L. Qingxiang, Wang Guiyong, Qu Tong and Zhou Changmin . . . . . ABS 125
Hybrid microundulator designs for the CREOL compact cw-FEL
M. Tecimer and L.R. Elias . . . . . ABS 126
In-vacuum type undulator for a visible/UV region FEL using a linac
T. Keishi, A. Kobayashi, T. Tomimasu, T. Okazaki and Y. Hosoda . . . . . ABS 128
Magnetic measurements of a hybrid permanent magnet undulator for the LISA-SURF IR FEL experiment
L. Barbagelata, S. Curotto, M. Grattarola, G. Gualco, F. Rosatelli, F. Ciocci and A. Renieri . . . . . ABS 130
Loss measurements for an optical cavity with a Fabry–Perot etalon
I.V. Pinayev, V.M. Popik, T.V. Shaftan, A.S. Sokolov and N.A. Vinokurov . . . . . ABS 132
A simple model of supermodes in a FEL with an intracavity etalon
V.M. Popik and N.A. Vinokurov . . . . . ABS 134
Pulse stacking in FELIX
B. Faatz, E.H. Haselhoff, V.I. Zhulin and P.W. van Amersfoort . . . . . ABS 136
Electron emission from a metal target irradiated by an excimer laser
V. Nassisi and A. Pecoraro . . . . . ABS 137
Plasma treatment of dielectric-coated cavity mirrors for a short wavelength FEL
K. Yamada, T. Yamazaki, N. Sei and T. Mikado . . . . . ABS 139

Author Index 495